

- Ideal for cabinet and wardrobe glass shutters.
- Available in wide range for different glass thickness.
- Available in different finishes.
- Comes with two different types of connectors, double hole connector & single hole connector.

**ALU. PROFILES
BROCHURE**

The figure contains two technical drawings. The left drawing, titled 'Fitting Diagram of Double Hole Connector', shows a cross-section of a double-hole connector. It features an 'Aluminium Profile' with a 45° angle and a hole diameter of $\varnothing 5.5$. The connector has two holes with dimensions 22.0, 36.0, and 22.0. A 'Double Hole Connector' is shown joining two 'Aluminium Profile' sections. The right drawing, titled 'Fitting Diagram of Single Hole Connector', shows a cross-section of a single-hole connector. It features an 'Aluminium Profile' with a 45° angle and a hole diameter of $\varnothing 5.5$. The connector has one hole with dimensions 34.0 and 34.0. A 'Single Hole Connector' is shown joining two 'Aluminium Profile' sections. Both diagrams include a 'Glass' panel being fitted into the connector.

Fig. 1


Fitting Instructions

1. Cut the aluminium profile to suitable length and both the ends should be cut in 45° to form a mitre joint (Refer Fig. 1).
2. Drill Ø5.5mm hole as shown in Fig. 1.
3. Insert the glass shutter in the track and join the Aluminium profiles with Corner Connectors provided and screw it with the M5 screws provided as shown in Fig. 1



ALUMINIUM PROFILE GLASS SHUTTER

		Aluminium Profile Glass Shutter Euro 45 mm	Code No.	Length	Glass Thickness (mm)	Finish
			EGSP-4-45-3M*	3 mtr	4.0	AS/BL/SF/CP/BA/AG



*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BL for Black, BA for Brushed Aluminium, AG for Anodised gold.

		Aluminium Profile Glass Shutter Euro 45 mm with handle	Code No.	Length	Glass Thickness (mm)	Finish
			EGSP-4-45H-3M*	3 mtr	4.0	AS/BL/SF/CP/BA/AG



*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BL for Black, BA for Brushed Aluminium, AG for Anodised gold .

		Aluminium Profile Glass Shutter 45 mm Slim Line	Code No.	Length	Glass Thickness (mm)	Finish
			GSP1-4-45S-3M*	3 mtr	4.0	AS/BL/SF/CP



*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .

		Aluminium Profile Glass Shutter 45 mm Slim Line with handle	Code No.	Length	Glass Thickness (mm)	Finish
			GSP1-4-45SH-3M*	3 mtr	4.0	AS/SF/CP

*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BA for Brushed Aluminium .

		Aluminium Profile Glass Shutter 1345	Code No.	Length	Glass Thickness (mm)	Finish
			GSP-1345-3M*	3 mtr	4.0	AS/CP/SF













*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .

		Aluminium Profile Glass Shutter 1345 with handle	Code No.	Length	Glass Thickness (mm)	Finish
			GSP-1345H-3M*	3 mtr	4.0	AS/CP/SF

*Add after code : AS for Anodised Silver, SF for Special Finish ,
CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .



*(PVC Seals for Aluminium Profile Glass Shutter is inclusive)



ALUMINIUM PROFILE GLASS SHUTTER



		Aluminium Profile Glass Shutter Euro 50 mm*	<table><tr><th>Code Nos.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>EGSP-4-50-3M*</td><td>3 mtr</td><td>4.0</td><td>AS/BL/SF/CP/BA</td></tr></table>	Code Nos.	Length	Glass Thickness (mm)	Finish	EGSP-4-50-3M*	3 mtr	4.0	AS/BL/SF/CP/BA	*Add after code : AS for Anodised Silver, SF for Special Finish , CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .
Code Nos.	Length	Glass Thickness (mm)	Finish									
EGSP-4-50-3M*	3 mtr	4.0	AS/BL/SF/CP/BA									
		Aluminium Profile Glass Shutter 50 mm with handle*	<table><tr><th>Code No.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>EGSP-4-50H-3M*</td><td>3 mtr</td><td>4.0</td><td>AS/BL/SF/CP/BA</td></tr></table>	Code No.	Length	Glass Thickness (mm)	Finish	EGSP-4-50H-3M*	3 mtr	4.0	AS/BL/SF/CP/BA	*Add after code : AS for Anodised Silver, SF for Special Finish , CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .
Code No.	Length	Glass Thickness (mm)	Finish									
EGSP-4-50H-3M*	3 mtr	4.0	AS/BL/SF/CP/BA									
		Aluminium Profile Glass Shutter 50 mm*	<table><tr><th>Code No.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>GSP1-4-50-3M*</td><td>3 mtr</td><td>4.0</td><td>AS/BL/SF/CP/BA</td></tr></table>	Code No.	Length	Glass Thickness (mm)	Finish	GSP1-4-50-3M*	3 mtr	4.0	AS/BL/SF/CP/BA	*Add after code : AS for Anodised Silver, SF for Special Finish , CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .
Code No.	Length	Glass Thickness (mm)	Finish									
GSP1-4-50-3M*	3 mtr	4.0	AS/BL/SF/CP/BA									
		Aluminium Profile Glass Shutter 50 mm with handle*	<table><tr><th>Code No.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>GSP1-4-50H-3M*</td><td>3 mtr</td><td>4.0</td><td>AS/BL/SF/CP/BA</td></tr></table>	Code No.	Length	Glass Thickness (mm)	Finish	GSP1-4-50H-3M*	3 mtr	4.0	AS/BL/SF/CP/BA	*Add after code : AS for Anodised Silver, SF for Special Finish , CP for Chrome Plated, BL for Black, BA for Brushed Aluminium .
Code No.	Length	Glass Thickness (mm)	Finish									
GSP1-4-50H-3M*	3 mtr	4.0	AS/BL/SF/CP/BA									
		Aluminium Profile Glass Shutter 8-50 mm*	<table><tr><th>Code No.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>GSP1-8-50-3M*</td><td>3 mtr</td><td>8.0</td><td>AS/BL/SF</td></tr></table>	Code No.	Length	Glass Thickness (mm)	Finish	GSP1-8-50-3M*	3 mtr	8.0	AS/BL/SF	*Add after code : AS for Anodised Silver, SF for Special Finish, BL for Black.
Code No.	Length	Glass Thickness (mm)	Finish									
GSP1-8-50-3M*	3 mtr	8.0	AS/BL/SF									
		Aluminium Profile Glass Shutter 8-50 mm with handle*	<table><tr><th>Code No.</th><th>Length</th><th>Glass Thickness (mm)</th><th>Finish</th></tr><tr><td>GSP1-8-50H-3M*</td><td>3 mtr</td><td>8.0</td><td>AS/BL/SF</td></tr></table>	Code No.	Length	Glass Thickness (mm)	Finish	GSP1-8-50H-3M*	3 mtr	8.0	AS/BL/SF	*Add after code : AS for Anodised Silver, SF for Special Finish, BL for Black.
Code No.	Length	Glass Thickness (mm)	Finish									
GSP1-8-50H-3M*	3 mtr	8.0	AS/BL/SF									


*(PVC Seals for Aluminium Profile Glass Shutter is inclusive)

ALUMINIUM PROFILE GLASS SHUTTER

		Aluminium Profile Glass Shutter 55 mm*			
		Code No.	Length	Glass Thickness (mm)	Finish
		GSP1-4-55-3M*	3 mtr	4.0	AS/SF
*Add after code : AS for Anodised Silver, SF for Special Finish					

		Aluminium Profile Glass Shutter 55 mm with handle*	Code No.	Length	Glass Thickness (mm)	Finish
			GSP1-4-55H-3M*	3 mtr	4.0	AS/SF
*Add after code : AS for Anodised Silver, SF for Special Finish.						



		Aluminium Glass Shutter Profile with 4mm Sleeve for recessed Hinge	Code No.	Length	Glass Thickness (mm)	Finish
			RCH-AGP*	3 mtr	4.0	AS/SF/TN/CP
<p># To be used with Recessed Hinge Soft Close: RH-SC-TN</p> <p>*Add after code : AS for Anodised Silver, CP for Chrome Plated, TN for Titanium, SF for Special Finish.</p>						






Aluminium Glass Shutter Profile with Handle Sleeve for recessed Hinge	Code No.	Length	Glass Thickness (mm)	Finish
	RCH-AGP-H*	3 mtr	4.0	AS/SF/TN/CP

To be used with Recessed Hinge Soft Close: RH-SC-TN

*Add after code : AS for Anodised Silver, CP for Chrome Plated, TN for Titanium, SF for Special Finish.

		Aluminium Frame for Hinge for Aluminium profile 3D	Code No.	Length	Glass Thickness (mm)	Finish
			HAP-4-22-2*	3mtr	4,0	AS/AB/SF AG/CP/BA/CH
<div># To be used with Hinge for Alu. Profile 3D: HAP1 / HAP2 / HAP3</div> <div>*Add after code : AS for Anodised Silver, SF for Special Finish, CP for Chrome Plated, AB for Anodized Black, BA for Brushed Aluminium, AG for Anodised gold.</div>						

Aluminium Frame with Handle for Hinge for Aluminium profile 3D	Code No.	Length	Glass Thickness (mm)	Finish
	HAP-4-22H-2*	3mtr	4.0	AS/AB/SF AG/CP/BA/CH

#To be used with Hinge for Alu. Profile 3D: HAP1 / HAP2 / HAP3

*Add after code : AS for Anodised Silver, SF for Special Finish, CP for Chrome Plated, AB for Anodized Black, BA for Brushed Aluminium, AG for Anodised gold.


*(PVC Seals for Aluminium Profile Glass Shutter is inclusive)

SLEEVES FOR ALUMINIUM PROFILE GLASS SHUTTER



Special Features

- To be used with Aluminium Profile Glass Shutters.
- Available in different sizes.
- Absorbs vibration & thus protects the glass from breaking.
- Length : 3mtr.



Specifications

Item	Code Nos.	Thickness of Glass	Finish
Sleeve for 4mm Glass	GSP-SL4-3M	4mm	CL
Sleeve for 8mm Glass	GSP-SL8-3M	8mm	
Sleeve for Slim Line	GSP-SL4S-3M	4mm	



GSP-SL4



GSP-SL8



GSP 4-45 AS