




[Home](#) » [Door Fittings](#) » [Wood Sliding Folding System](#)

Wood Sliding Folding System





- Ideal for wood sliding folding doors.
- Precision roller system has good loading bearing and life.
- Bottom Track for smooth rolling.
- Special guide roller provided to avoid noise while sliding
- Minimum door thickness 40mm
- Recommended to use Ebco concealed hinge 3D & Door hinge - SS304 with 4 ball bearing
- Load capacity: 60 kgs./Door.

Specifications

Model	Code	Size	Finish
Wood Sliding Folding System - Top Sliding Assembly	WSFS-TS	Min door thk - 40mm	Zinc White
Wood Sliding Folding System - Bottom Sliding Assembly	WSFS-BS	Max door weight - 60 kg	Zinc White
Top Track	SDF-AS-125M-2	2.44 meters	Anodized Silver
	SDF-AS-125M-3	3.66 meters	Anodized Silver
Bottom Track	GSFF-BT2	2.44 meters	Anodized Silver
	GSFF-BT3	3.66 meters	Anodized Silver

Fitting Instructions

1. Cut a slot of 20 x 18mm deep in base as shown in fig. 1 & fit the bottom track. Also fit the top track on top face in line with the bottom track.
2. Cut the door sizes as shown in fig. 2
3. Cut a cavity in the center of top side of door as per fig. 3 & screw in Top Sliding Assembly.
4. Cut a cavity in the center of bottom side of door as per fig. 4 & screw in Bottom Sliding Assembly.
5. Slide in the door assembly in top and bottom track.
6. The door is hung on the sliding fitting and slim nut is tightened. Height adjustment of 8mm is available. (Ref. Fig. 1)
7. Possible to create multiple door assembly using the recommended Ebco Concealed door hinge 3D & with and without Door hinge - SS 304 with 4 Ball Bearing as shown in fig. 2 & 2A.






Fig. 3

Cavity For
Top Sliding Assembly





Fig. 4

Cavity For
Bottom Sliding Assembly



Top Sliding
Assembly



Bottom Sliding
Assembly




Fig. 1

Item	Qty. For 2 Door	Qty. For 3 Door	Qty. For 4 Door	Qty. For 5 Door
Top Sliding Assembly	01	02	03	04
Bottom Sliding Assembly	01	02	03	04
Concealed hinge 3D (Set of 2) - Optional	01	02	03	04
Door Hinge - SS 304 with 4 Ball Bearing (Set of 2) - Optional	01	01	01	01