



[Home](#) » [Products](#) » [Peka](#) » [Oeko Complet](#)




Oeko Complet

- Full system including sliding system (can be retrofitted).
- Integrated soft - opening, soft - closing system.
- Tall front bracket with 3-D adjustment for maximum stability.
- Handy additional container for compost or cleaning materials.
- Waste bags of various sizes can be clipped into the frame quickly and easily.
- Load capacity - 110 kgs.

Specifications

Model	Code No.	Size (mm)	Load Capacity	Finish	Kitchen Oeko Complet 600	K-OC-60	600 x 545 x 495mm	110 Kg	Anthracite
-------	----------	-----------	---------------	--------	--------------------------	---------	-------------------	--------	------------

Fitting Instructions





Adjusted Height

The Height of the bin's fitted frame, the divider and the pull-out metal shelf can all be adjusted through 30mm without the use of tools. (Patented system)

- Solves all the problems associated with deep, modern sinks, whether it is fitted or stuck on from underneath.
- The ideal solution to the space-related problems presented by central sink drains and sinks without space-saving outlets.

Robust Sliding System

The robust, dirt-resistant, ball-bearing-mounted sliding system can bear weights of up to 110kg, yet it slides in and out of the unit automatically and practically noiselessly thanks to its integrated soft-opening, soft-closing system.

Divider Panel

The stable metal divider panel holds bin in position, and additional bin can be clipped onto it. You can attach it to the bottom of the pull-out without using tools and it can be mounted on the right or left, allowing you to fit the additional bin to the right or the left of the main bin.



Packing Chart

Item	Item Code	Inner Packing (Kgs.)		Outer Packing (Kgs.)	
		Qty	Weight	Qty	Weight
Oeko Complet 600	K-OC-60	1	14.814	1	14.814